






ITEM NO.	PART NUMBER	DESCRIPTION
1	SBA00004DA	COMPRESSOR BD50F
1	SBA00031DA	COMPRESSOR BD80F
2	SEG00002DA	ELECTRICAL UNIT DANFOSS/SECOP 101N0212 BD35/50F 12/24V
2	SEG00030GA	ELECT. UNIT DANFOSS/SECOP BD35F/50F 101N0510 AC/DC 12/24V-115/230V
2	SEG00024DA	ELECTRONIC UNIT DANFOSS BD80F 12/24V
3	SBE00009AA	BOTTOM PLATE INOX S/S MAGNUM
4	SBD00016AB	WATER CONDENSER MAGNUM CU/NI
5	SBD00020AA	FILTER DRYER 40gr COPPER TUBE 30mm FOR R134a (MAGNUM)
6	SBB00003DA	SEA WATER PUMP MAGNUM
7	SED00019DA	VOLTAGE REDUCER WITH 6 TERMINALS
8	SEB00027AA	TERMISTOR FOR VOLTAGE REDUCER
9	SBD00057AA	COMPLETE VALVE GAS CHARGE
10	SBD00035AB	QUICK COUPLING PARKER MALE
11	SBD00034AB	QUICK COUPLING PARKER FEMALE
12	SBD00134AA	TERMISTOR HOLDER FOR MAGNUM CONDENSER
13	SBE00008AA	ANODE 3/8" FOR SEA COOLED MAGNUM

DUAL VOLTAGE KIT	Input Main Voltages	Part Number
POWER PACK BD35/50	100-240VAC 50/60HZ 12/24VDC	SEH00004HA
POWER PACK BD80	230VAC 50/60HZ 12/24VDC	SED00035GA
POWER PACK BD80	115VAC 50/60HZ 12/24VDC	SED00035PA


TUTTI I MATERIALI E COMPONENTI NON DEVONO CONTENERE PIOMBO, MERCURIO, CADMIO, CROMO ESAVALENTE, BIFENILI POLIBROMURATI (PBB) O ETER DI DIFENILE POLIBROMURATO (PBDE).
(Direttiva 2002/95/CE del Parlamento Europeo e del Consiglio del 23 gennaio 2003)

Pos.	DENOMINAZIONE	Q	Materiale	Stato/Unific.	Peso	Codice	
Tolleranze generali		Caratteristiche speciali da P-PRO		Disegnato	Data	Scala	Cod. prov.
ISO 2768 - m		CRITICA IMPORTANTE				1:10	Sost. //
		Via dei Ronchi, 11 - 47866 Sant'Agata Feltria (RN) Tel.+39 0541 848 030-Fax +39 0541 848 563				CODICE	
Disegno eseguito con CAD vietata la modifica manuale							
A termini di legge ci riserviamo la proprietà di questo disegno con divieto di riproduzione senza la nostra autorizzazione							




PART NUMBER	DESCRIPTION	PRESENT IN TYPE:
SBF00020AA	O-EVAPORATOR 14L 380x270x140mm WITHOUT COUPLINGS	2505
SBF00015AA	O-EVAPORATOR 14L 380x270x140mm WITH COUPLING STANDARD VERSION	

THE STANDARD VERSION HAS TO THE IWM CODE END 0000
AND STANDARD IT IS USED AS FRIDGE,
FOR ALL OTHER VERSIONS OR IN CASE IT IS USED AS FREEZER
COOLING SYSTEM CONTACT YOUR DEALER SAYING THE EXACT
IWM CODE.



ITEM NO.	PART NUMBER	DESCRIPTION	PRESENT IN TYPE:
1/L	SEB00001AB	THERMOSTAT CABLE ADAPTIVE ENERGY OPTIMIZATION FUNCTION FOR BD80F ECU	2609-2607DC-2609DC
1/M	SEB00088AA	THERMOSTAT CABLE MEDIUM SPEED - BLACK RESISTOR (680 OHMS)	2505-2513
1/H	SEB00099AA	THERMOSTAT CABLE HIGHT SPEED - RED RESISTOR (1500 OHMS)	2511-2512-2507- 2513DC-2507DC



ITEM NO.	PART NUMBER	DESCRIPTION	PRESENT IN TYPE:
1	SEA00009DA	DANFOSS THERMOSTAT (+2,5/-24.5)	2505-2511-2512-2513- 2507-2607-2609used for standard version only
2	SEA00012AA	THERMOSTAT PLASTIC HOLDER WHITE	
3	SEA00002AA	THERMOSTAT KNOB	
1	SEA00005DA	FREEZER DANFOSS THERMOSTAT (- 7.5/-33.1°C)	2513DC-2507DC- 2607DC-2609DC

TUTTI I MATERIALI E COMPONENTI NON DEVONO CONTENERE PIOMBO, MERCURIO,
CADMIO, CROMO ESAVALENTE, BIFENILI POLIBROMURATI (PBB) O
ETER DI DIFENILE POLIBROMURATO (PBDE).
(Direttiva 2002/95/CE del Parlamento Europeo e del Consiglio del 23 gennaio 2003)

Pos.	DENOMINAZIONE	Q	Materiale	Stato/Unific.	Peso	Codice	
Tolleranze generali		Caratteristiche speciali da P-PRO		Disegnato	Data	Scala	Cod. prov.
ISO 2768 - m		⊗ CRITICA ⊕ IMPORTANTE				1:10	Sost. //
		Via dei Ronchi, 11 - 47866 Sant'Agata Feltria (RN) Tel.+39 0541 848 030-Fax +39 0541 848 563			CODICE		
Disegno eseguito con CAD vietata la modifica manuale							
A termini di legge ci riserviamo la proprietà di questo disegno con divieto di riproduzione senza la nostra autorizzazione							